

# NEO-Flat-C (MCHÖU) screened, EMC-preferred type



## Technical data

- Special-Neoprene-flat cable, screened, adapted to DIN VDE 0250 part 809
- **Temperature range**  
flexing -25°C to +60°C  
fixed installation -40°C to +80°C
- **Nominal voltage** U<sub>0</sub>/U 300/500 V
- **Test voltage** 3000 V
- **Minimum bending radius**  
approx. 15x cable thickness
- **Radiation resistance**  
up to 50x10<sup>6</sup> cJ/kg (up to 50 Mrad)

## Cable construction

- Bare copper, extra fine wire conductors according to DIN VDE 0295 Kl. 6 and IEC 60228 cl. 6, BS 6360 cl. 6
- Special rubber core insulation
- Core identification  
up to 5 cores to colour code DIN VDE 0293  
7 cores and above with number printing
- Cores screened individually
- Cores laying parallel
- Copper screened braiding, approx. 85% coverage
- Special Neoprene outer jacket black (RAL 9005)

## Properties

- Outer jacket cold resistant
- Extensively oil resistant
- Extremely small bending radius
- High flexibility
- Minimum waste of space
- Packaging possibility
- The high degree of screening density assures disturbance-free transmission of all signal and impulses
- Test according to DIN VDE 0482 part 265-2-1/ EN 50265-2-1/ IEC 60332-1 (equivalent DIN VDE 0472 part 804 test method B)

## Note

- G = with green-yellow earth core.
- AWG sizes are approximate equivalent values. The actual cross-section is in mm<sup>2</sup>.

## Application

Neoprene screened flat cables are used mainly as trailing cable for crane installations, floor conveyer systems and shelf control units. These cables are also available for export with UL-approval.

### Installation notes

Cables reels with flat cables must be transported in standing position on the flange. A bending flexibility can be achieved on a plane surface. For this purpose, the corresponding fitting instructions should be followed.

- Put the cable trolley on the guiding rail or upon carrier beam and push them together at the starting point. The distance between the bedding surface of two cable trolleys must be wider than the double thickness of a cable-packet.
- During the packeting performance, it must be started with the smaller cross-section which lays on the bedding surface and will be builded successively so that the biggest cross-section is laying on the top.
- Further, be careful of a symmetrical load distribution.
- In case of multicore flat cables with small cross-section, smaller than 2,5 mm<sup>2</sup>, is very critical due to its low tensile stress. In such case, you should add 10% reserve wire for calculation.

**EMC** = Electromagnetic compatibility

To optimise the EMC features we recommend a large round contact of the cooper braiding on both ends.

**CE** = The product is conformed with the EC Low-Voltage Directive 73/23/EEC and 93/68/EEC.

Part No.	No.cores x cross-sec. mm <sup>2</sup>	Outer dimension ca. mm	Cop. weight kg / km	Weight ca. kg / km	AWG-No.
28100	8 G 1,5	7,9 x 42,0	231,0	520,0	16
28101	12 G 1,5	7,9 x 61,0	346,0	790,0	16

Part No.	No.cores x cross-sec. mm <sup>2</sup>	Outer dimension ca. mm	Cop. weight kg / km	Weight ca. kg / km	AWG-No.
28102	4 G 2,5	8,5 x 25,5	164,0	420,0	14
28103	6 G 2,5	8,5 x 34,5	247,0	540,0	14
28104	12 G 2,5	8,9 x 68,0	494,0	1000,0	14

Dimensions and specifications may be changed without prior notice.